

fig. 1






fig. 2

200






fig. 4a




fig. 4b




fig. 4c




fig. 4d

2025 RELEASE UNDER E.O. 14176




fig. 4e




fig. 4f

5000
 4900
 4800
 4700
 4600
 4500
 4400
 4300
 4200
 4100
 4000
 3900
 3800
 3700
 3600
 3500
 3400
 3300
 3200
 3100
 3000
 2900
 2800
 2700
 2600
 2500
 2400
 2300
 2200
 2100
 2000
 1900
 1800
 1700
 1600
 1500
 1400
 1300
 1200
 1100
 1000
 900
 800
 700
 600
 500
 400
 300
 200
 100
 0




fig. 4g




fig. 6a




fig. 6b




fig. 7




fig. 8

CLASS SECRET




fig. 9




fig. 10A

FROM FIG. 10A



1055

SEND ALL MESSAGES WITH "NEW" INSTANCE IDENTIFIER

HONOR ALL MESSAGES THAT COME WITH "NEW" INSTANCE IDENTIFIER, START NEW PROTOCOLS IF NEEDED

DO NOT MONITOR FOR INCOMING HEART_BEAT PACKETS

DO NOT RECOMPUTE THE SET OF REACHABLE NODES

INDEFINITELY RETRY SENDING PROTOCOL MESSAGES AS NEEDED

END GRACE PERIOD

1065



KEEP SENDING AND ACCEPTING MESSAGES WITH "NEW" INSTANCE IDENTIFIER

RECOMPUTE THE SET OF REACHABLE NODES

RESUME REINFORCING A LIMIT IN THE NUMBER OF RETRIES

RESUME MONITORING OF HEART_BEAT MESSAGES

fig. 10B